



Pre Coloured & Speciality Compounds Flexible MOQ's / Shorter Lead Time



ANY COLOUR
QUANTITY
MATERIAL



Pre Coloured Unfilled & filled Compounds of

- * Nylon 6 / 66 * Delrin® Homopolymer * POM Copolymer * TPE & TPEE / TPU
- * PBT * PET * PC * PC ABS * PP * HDPE * LDPE
- * Graphite Filled Nylon 66 / 6
- * UV Stabilized Nylon 66 / 6
- * Graphite Filled POM
- * UV Stabilized PP Compounds
- * PP EVA Compounds
- * Impact Modified PP
- * MoS2 Filled Nylon 66 / 6
- * PTFE Filled Nylon 66 / 6
- * Carbon Fiber Filled Nylon 66 / 6
- * Glass Fiber Filled POM



Customized Pre-coloured Solution

CHIME PERFORMANCE POLYMERS PRIVATE LIMITED

Survey No. 110/6, Vignesh Nagar Main Road, Nallur Village,
Kundrathur, Taluk, Kundrathur, chennai, Kancheepuram, Tamil Nadu - 600 069.

PTFE / Silicone / Mos2 / PCA / Graphite

**Filled POM, Polyamide 6 & 66 etc.
for Wear resistance and Friction reduction**

Special Features :

- **Low Co-efficient of Friction (CoF).**
- **Reduced Wear, hence extends life of product.**
- **Improves processibility and mouldability.**
- **Offers good chemical and thermal resistance.**
- **Ability to withstand high pressure, and work in demanding applications.**
- **Improves Sliding properties and Stick-slip property.**

Applications:

- **Bushes, Wear Rings, Bearings, Gears and Conveyor belts in Textile Machinery.**
- **Gears in Automobile parts.**
- **Hydraulic Seals and O-Rings.**



Chopped Carbon Fiber

filled Polyamide 6 & 66, ABS, PBT, Polycarbonate

Special Features :

- **High strength to weight ratio**
- **Superior tensile/ Flexural properties.**
- **Ability to withstand high pressure, and work in demanding applications.**
- **Offer high thermal stability and low thermal expansion.**
- **Reduced warpage and shrinkage in Large Format 3D Printing.**

Applications:

- **Propellers and bushes in Drones.**
- **Housings and gears in textile machinery.**
- **Large format 3D printing of molding tools.**



Chopped Carbon fibre



3D Printing Applications



Drone Applications

Distributors for :
Speciality
Colour Masterbatches & Additives



Hydrocerol

To Reduce Density & Weight
Shrinkage, Warpage and Sink Mark
Improving Productivity upto 20%

Processing AIDS

Reducing friction between the melt
& the metal Parts to facilitate processing
& improvement in output

Antistatic Agents

Prevent a buildup of static Electricity /
dust on polymer Surfaces

Antioxidants

Inhibit or retard polymer oxidation
and its degrading Effects

UV Stabilizers

Protection against
Sun lights & Heats

Flame Retardants

To Meet UL Standards by minimizing
Smoke and Heat Generation



**PP, PS, ABS PC, PC / ABS, PBT PA (Nylon 6 & 66 – unfilled & Glass filled)
HIPS, TPE & POM compatible masterbatches**

WATER TANK

- REMAFIN TM Black - White & Colour Masterbatches
- Special White - 70% TIO 2 Pure
- Himalayan White - 75% TIO2 Pure

FISH NET

PIPES & DRIP IRRIGATION

FOOT WEAR

- Jet Black - Filler Free 50% Carbon
- Special Black - Filler Free 40% Carbon
- YELLOW masterbatches with Light fastness of 7- 8
- Filament black - Filler Free 30% Fine Carbon MB for 0.2 mm Thickness



PACKAGING



**PHARMA
PACKAGING**



FLUSH TANK & TOILET SEAT COVER



WATER TAP